Index of Authors

ABBATE, P. E., ANDRADE, F. H. and CULOT, J. P. The effects of radiation and nitrogen on number of grains in wheat, 351
ACOSTA-GALLEGOS, J. *see* FOSTER, E. F.
ALLEN, E. J. *see* FIRMAN, D. M.
ANDRADE, F. H. *see* ABBATE, P. E.
ANNISON, E. F. *see* GILES, L. R.
ASHBY, J. E. *see* PREW, R. D.
ATHERTON, J. G. *see* CRAIGON, J.

BACON, E. T. G. *see* PREW, R. D.
BAKER, D. H. *see* WILMAN, D.
BARRY, T. N. *see* HOSKIN, S. O.
BLACK, J. L. *see* GILES, L. R.
BOIFFIN, J. *see* DURR, C.
BOUWMEESTER, H. J. and SMID, H. G. Seed yield in caraway (*Carum carvi*). 1. Role of pollination, 235
BOUWMEESTER, H. J., SMID, H. G. and LOMAN, E. Seed yield in caraway (*Carum carvi*). 2. Role of assimilate availability, 245
BRIGNALL, A. P. and ROUNSEVELL, M. D. A. Land evaluation modelling to assess the effects of climate change on winter wheat potential in England and Wales, 159
BRIGSTOCKE, T. D. A. *see* WILMAN, D.
BROADBENT, P. J. *see* WOOLLIAMS, J. A.
BROOKMAN, S. K. E. *see* TALLOWIN, J. R. B.
BUCHAN, W. *see* SCOTT, D.
BUCHAN, W. C. *see* GRANT, G.
BUTTERY, P. J. *see* SINCLAIR, L. A.

CHRISTIAN, D. G. *see* PREW, R. D.
COCKS, P. S. *see* LOI, A.
COLLINS, R. P. and RHODES, I. Stolon characteristics related to winter survival in white clover, 11
CONNOLLY, J. Efficiency of experimental designs for estimating common-row-and-column (CRAC) effects, 325
CRAIGON, J., ATHERTON, J. G. and SWEET, N. Modelling the effects of vernalization on progress to final leaf appearance in winter wheat, 369
CROWLEY, B. A. *see* VULICH, S. A.
CULOT, J. P. *see* ABBATE, P. E.

DOREAU, M. *see* KABRÉ, P.
DORWARD, P. M. *see* GRANT, G.
DURR, C. and BOIFFIN, J. Sugarbeet seedling growth from germination to first leaf stage, 427

EASSON, D. L. The effects of omitting or reducing pesticide and other inputs on the disease incidence and yield components of winter wheat in Northern Ireland, 343
EL BEDEWY, R. *see* ENGELS, C.
ENGELS, C., SCHWENKEL, J., EL BEDEWY, R. and SATTELMACHER, B. Effect of the developmental stage of potato seedlings on recovery after transplanting to the field and on tuber yield, 213

FIRMAN, D. M. and ALLEN, E. J. Transmission of *Helminthosporium solani* from potato seed tubers and effects of soil conditions, seed inoculum and seed physiology on silver scurf disease, 219
FOSTER, E. F., PAJARITO, A. and ACOSTA-GALLEGOS, J. Moisture stress impact on N partitioning, N remobilization and N-use efficiency in beans (*Phaseolus vulgaris*), 27
FRANCIS, G. S., HAYNES, R. J. and WILLIAMS, P. H. Effects of the timing of ploughing-in temporary leguminous pastures and two winter cover crops on nitrogen mineralization, nitrate leaching and spring wheat growth, 1

GARNSWORTHY, P. C. *see* SINCLAIR, L. A.
GILES, L. R., ANNISON, E. F., BLACK, J. L., TUCKER, R. G. and GOODEN, J. M. A new procedure for the continuous measurement of oxygen consumption in pigs, 113
GOODEN, J. M. *see* GILES, L. R.
GRANT, G., MORE, L. J., MCKENZIE, N. H., DORWARD, P. M., BUCHAN, W. C., TELEK, L. and PUSZTAI, A. Nutritional and haemagglutination properties of several tropical seeds, 437
GREENHALGH, J. F. D. *see* WILKINSON, R. G.
GUTTERIDGE, R. J. *see* JENKYN, J. F., PREW, R. D.

HALLORAN, G. M. *see* KERNICH, G. C.
HAMER, P. J. C. Modelling the effects of sowing date and plant density on the yield and timing of development of Brussels sprouts (*Brassica oleracea*), 253
HANRAHAN, J. P. *see* VULICH, S. A.
HAYNES, R. J. *see* FRANCIS, G. S.
HOSKIN, S. O., STAFFORD, K. J. and BARRY, T. N. Digestion, rumen fermentation and chewing behaviour of red deer fed fresh chicory and perennial ryegrass, 289
HUSTED, S. *see* SOMMER, S. G.

JACKSON, L. E. *see* WYLAND, L. J.
JENKINS, P. D. *see* LEITCH, M. H.
JENKYN, J. F., GUTTERIDGE, R. J. and TODD, A. D. Effects of incorporating straw, using different cultivation systems, and of burning it, on diseases of winter barley, 195
JENKYN, J. F. *see also* PREW, R. D.
JONES, M. J. and SINGH, M. Yields of crop dry matter and nitrogen in long-term barley rotation trials at two sites in northern Syria, 389

KABRÉ, P., DOREAU, M. and MICHALET-DOREAU, B. Effects of underfeeding and of fish meal supplementation on forage digestion in sheep, 119
KENNEDY, P. M. Intake and digestion in swamp buffaloes

and cattle. 3. Comparisons with four forage diets, and with rice straw supplemented with energy and protein, 265
KENNEDY, P. M. Intake and digestion in swamp buffaloes and cattle. 4. Particle size and buoyancy in relation to voluntary intake, 277
KERNICH, G. C., SLAFER, G. A. and HALLORAN, G. M. Barley development as affected by rate of change of photoperiod, 379
KILPATRICK, D. J. *see* PATTERSON, D. C.
KLAIJ, M. C. and NTARE, B. R. Rotation and tillage effects on yield of pearl millet (*Pennisetum glaucum*) and cowpea (*Vigna unguiculata*), and aspects of crop water balance and soil fertility in a semi-arid tropical environment, 39

LAIDLAW, A. S. *see* TEUBER, N.
LAW, J. R. *see* TALBOT, M.
LEITCH, M. H. and JENKINS, P. D. Influence of nitrogen on the development of *Septoria* epidemics in winter wheat, 361
LOI, A., PORQUEDDU, C., VERONESI, F. and COCKS, P. S. Distribution, diversity and potential agronomic value of *Medicago polymorpha* in Sardinia, 419
LOMAN, E. *see* BOUWMEESTER, H. J.
LUO, Z. W. *see* WOOLLIAMS, J. A.

MCKELVEY, W. A. C. *see* WOOLLIAMS, J. A.
MCKENZIE, N. H. *see* GRANT, G.
MICHALET-DOREAU, B. *see* KABRÉ, P.
MILNER, A. D. *see* TALBOT, M.
MORE, L. J. *see* GRANT, G.

NDLOVU, L. R. *see* NYAMANGARA, M. E.
NEWBOLD, J. R. *see* SINCLAIR, L. A.
NTARE, B. R. *see* KLAIJ, M. C.
NUTKINS, M. A. E. *see* TALBOT, M.
NYAMANGARA, M. E. and NDLOVU, L. R. Feeding behaviour, feed intake, chemical and botanical composition of the diet of indigenous goats raised on natural vegetation in a semi-arid region of Zimbabwe, 455

ODDY, V. H., SPECK, P. A., WARREN, H. M. and WYNN, P. C. Protein metabolism in lambs from lines divergently selected for weaning weight, 129

PAJARITO, A. *see* FOSTER, E. F.
PATTERSON, D. C. and STEEN, R. W. J. Growth and development in beef cattle. 2. Direct and residual effects of plane of nutrition during early life on the chemical composition of body components, 101
PATTERSON, D. C., STEEN, R. W. J. and KILPATRICK, D. J. Growth and development in beef cattle. 1. Direct and residual effects of plane of nutrition during early life on components of gain and food efficiency, 91
PORQUEDDU, C. *see* LOI, A.
POWELL, W. *see* PREW, R. D.
PREW, R. D., ASHBY, J. E., BACON, E. T. G., CHRISTIAN, D. G., GUTTERIDGE, R. J., JENKYN, J. F., POWELL, W. and TODD, A. D. Effects of incorporating or burning straw, and of different cultivation systems, on winter wheat grown on two soil types, 1985–91, 173
PUSZTAI, A. *see* GRANT, G.

RAJARATNE, A. A. J. *see* SCOTT, D.
RHODES, I. *see* COLLINS, R. P.
ROBINSON, J. J. *see* WOOLLIAMS, J. A.
ROUNSEVELL, M. D. A. *see* BRIGNALL, A. P.
RUSSELL, P. E. Fungicide resistance: occurrence and management, 317
RUXTON, G. D. Mathematical modelling of ammonia volatilization from slurry stores and its effect on *Cryptosporidium* oocyst viability, 55

SANTOS, G. L. *see* TALLOWIN, J. R. B.
SATTELMACHER, B. *see* ENGELS, C.
SCHOEMAN, S. J. and VISSER, J. A. Comparative water consumption and efficiency in three divergent sheep types, 139
SCHULBACH, K. F. *see* WYLAND, L. J.
SCHWENKEL, J. *see* ENGELS, C.
SCOTT, D., RAJARATNE, A. A. J. and BUCHAN, W. Factors affecting faecal endogenous phosphorus loss in the sheep, 145
SINCLAIR, L. A., GARNSWORTHY, P. C., NEWBOLD, J. R. and BUTTERY, P. J. Effects of synchronizing the rate of dietary energy and nitrogen release in diets with a similar carbohydrate composition on rumen fermentation and microbial protein synthesis in sheep, 463
SINGH, M. *see* JONES, M. J.
SLAFER, G. A. *see* KERNICH, G. C.
SMID, H. G. *see* BOUWMEESTER, H. J.
SOLOMON ABEGAZ, *see* YOHANNES GOJJAM,
SOLOMON GIZAW, *see* YOHANNES GOJJAM,
SOMMER, S. G. and HUSTED, S. A simple model of pH in slurry, 447
SOMMER, S. G. and HUSTED, S. The chemical buffer system in raw and digested animal slurry, 45
SPECK, P. A. *see* ODDY, V. H.
STAFFORD, K. J. *see* HOSKIN, S. O.
STEEN, R. W. J. *see* PATTERSON, D. C.
SWEET, N. *see* CRAIGON, J.

TALBOT, M., MILNER, A. D., NUTKINS, M. A. E. and LAW, J. R. Effect of interference between plots on yield performance in crop variety trials, 335
TALLOWIN, J. R. B., BROOKMAN, S. K. E. and SANTOS, G. L. Leaf growth and utilization in four grass species under steady state continuous grazing, 403
TELEK, L. *see* GRANT, G.
TEUBER, N. and LAIDLAW, A. S. Effect of herbage rejection by steers on white clover (*Trifolium repens*) branching and development in continuously stocked grass–clover swards, 205
THWAITES, C. J. *see* YOHANNES GOJJAM,
TODD, A. D. *see* JENKYN, J. F., PREW, R. D.
TUCKER, R. G. *see* GILES, L. R.

VERONESI, F. *see* LOI, A.
VILLANUEVA, B. *see* WOOLLIAMS, J. A.
VISSER, J. A. *see* SCHOEMAN, S. J.
VULICH, S. A. and HANRAHAN, J. P. Faecal sampling for the estimation of herbage intake using n-alkanes: evaluation of sample pooling and the use of rectal grab samples, 79
VULICH, S. A., HANRAHAN, J. P. and CROWLEY, B. A. Modification of the analytical procedures for the determination of herbage and faecal n-alkanes used in the estimation of herbage intake, 71

WADDINGTON, D. *see* WOOLLIAMS, J. A.

WARREN, H. M. *see* ODDY, V. H.
WILKINSON, R. G. and GREENHALGH, J. F. D. Growth of lambs offered fixed amounts of roughage and concentrate either simultaneously, progressively or separately, 301
WILLIAMS, P. H. *see* FRANCIS, G. S.
WILLIAMS, S. P. *see* WILMAN, D.
WILMAN, D., WILLIAMS, S. P., BRIGSTOCKE, T. D. A. and BAKER, D. H. The effect of adding a compound feed to herbage, at the time of ensiling, on intake and milk yield, 87
WOOLLIAMS, J. A., LUO, Z. W., VILLANUEVA, B., WADDINGTON, D., BROADBENT, P. J., MCKELVEY, W. A. C. and ROBINSON, J. J. Analysis of factors affecting superovulatory responses in ruminants, 61
WYLAND, L. J., JACKSON, L. E. and SCHULBACH, K. F. Soil–plant nitrogen dynamics following incorporation of a mature rye cover crop in a lettuce production system, 17
WYNN, P. C. *see* ODDY, V. H.

YOHANNES GOJJAM, SOLOMON GIZAW, SOLOMON ABEGAZ, and THWAITES, C. J. Relationships between body weight and scrotal characteristics, and between environmental effects and fertility in Ethiopian Horro rams, 297

Index of Subjects

Ammonia volatilization
Mathematical modelling of ammonia volatilization from slurry stores and its effect on *Cryptosporidium* oocyst viability (Ruxton), 55

Barley
Effects of incorporating straw, using different cultivation systems, and of burning it, on diseases of winter barley (Jenkyn *et al.*), 195
Barley development as affected by rate of change of photoperiod (Kernich *et al.*), 379
Yields of crop dry matter and nitrogen in long-term barley rotation trials at two sites in northern Syria (Jones and Singh), 389
Bean, *see Phaseolus*
***Brassica* crops**
Modelling the effects of sowing date and plant density on the yield and timing of development of Brussels sprouts (*Brassica oleracea*) (Hamer), 253
Breeding
Protein metabolism in lambs from lines divergently selected for weaning weight (Oddy *et al.*), 129
Brussels sprouts, *see Brassica* crops
Buffaloes
Intake and digestion in swamp buffaloes and cattle. 3. Comparisons with four forage diets, and with rice straw supplemented with energy and protein (Kennedy), 265
Intake and digestion in swamp buffaloes and cattle. 4. Particle size and buoyancy in relation to voluntary intake (Kennedy), 277

Caraway, *see Carum*
Carum
Seed yield in caraway (*Carum carvi*). 1. Role of pollination (Bouwmeester and Smid), 235
Seed yield in caraway (*Carum carvi*). 2. Role of assimilate availability (Bouwmeester *et al.*), 245
Cattle
The effect of adding a compound feed to herbage, at the time of ensiling, on intake and milk yield (Wilman *et al.*), 87
Growth and development in beef cattle. 1. Direct and residual effects of plane of nutrition during early life on components of gain and food efficiency (Patterson *et al.*), 91
Growth and development in beef cattle. 2. Direct and residual effects of plane of nutrition during early life on the chemical composition of body components (Patterson and Steen), 101
Intake and digestion in swamp buffaloes and cattle. 3. Comparisons with four forage diets, and with rice straw supplemented with energy and protein (Kennedy), 265
Intake and digestion in swamp buffaloes and cattle. 4. Particle size and buoyancy in relation to voluntary intake (Kennedy), 277
Climate
Land evaluation modelling to assess the effects of climate change on winter wheat potential in England and Wales (Brignall and Rounsevell), 159
Cowpea, *see Vigna*
Crop husbandry
Effects of incorporating or burning straw, and of different cultivation systems, on winter wheat grown on two soil types, 1985–91 (Prew *et al.*), 173
Crops
Efficiency of experimental designs for estimating common-row-and-column (CRAC) effects (Connolly), 325
Effect of interference between plots on yield performance in crop variety trials (Talbot *et al.*), 335
Cultivation
Effects of incorporating or burning straw, and of different cultivation systems, on winter wheat grown on two soil types, 1985–91 (Prew *et al.*), 173
Effects of incorporating straw, using different cultivation systems, and of burning it, on diseases of winter barley (Jenkyn *et al.*), 195

Deer
Digestion, rumen fermentation and chewing behaviour of red deer fed fresh chicory and perennial ryegrass (Hoskin *et al.*), 289
Diets
The effect of adding a compound feed to herbage, at the time of ensiling, on intake and milk yield (Wilman *et al.*), 87
Effects of underfeeding and of fish meal supplementation on forage digestion in sheep (Kabré *et al.*), 119
Intake and digestion in swamp buffaloes and cattle. 3. Comparisons with four forage diets, and with rice straw supplemented with energy and protein (Kennedy), 265
Intake and digestion in swamp buffaloes and cattle. 4. Particle size and buoyancy in relation to voluntary intake (Kennedy), 277
Digestion, rumen fermentation and chewing behaviour of red deer fed fresh chicory and perennial ryegrass (Hoskin *et al.*), 289
Growth of lambs offered fixed amounts of roughage and concentrate either simultaneously, progressively or separately (Wilkinson and Greenhalgh), 301
Nutritional and haemagglutination properties of several tropical seeds (Grant *et al.*), 437
Feeding behaviour, feed intake, chemical and botanical composition of the diet of indigenous goats raised on natural vegetation in a semi-arid region of Zimbabwe (Nyamangara and Ndlovu), 455

Effects of synchronizing the rate of dietary energy and nitrogen release in diets with a similar carbohydrate composition on rumen fermentation and microbial protein synthesis in sheep (Sinclair *et al.*), 463

Digestion

Effects of underfeeding and of fish meal supplementation on forage digestion in sheep (Kabré *et al.*), 119

Intake and digestion in swamp buffaloes and cattle. 3. Comparisons with four forage diets, and with rice straw supplemented with energy and protein (Kennedy), 265

Intake and digestion in swamp buffaloes and cattle. 4. Particle size and buoyancy in relation to voluntary intake (Kennedy), 277

Digestion, rumen fermentation and chewing behaviour of red deer fed fresh chicory and perennial ryegrass (Hoskin *et al.*), 289

Drought

Moisture stress impact on N partitioning, N remobilization and N-use efficiency in beans (*Phaseolus vulgaris*) (Foster *et al.*), 27

Feed intake

Modification of the analytical procedures for the determination of herbage and faecal n-alkanes used in the estimation of herbage intake (Vulich *et al.*), 71

Faecal sampling for the estimation of herbage intake using n-alkanes: evaluation of sample pooling and the use of rectal grab samples (Vulich and Hanrahan), 79

The effect of adding a compound feed to herbage, at the time of ensiling, on intake and milk yield (Wilman *et al.*), 87

Intake and digestion in swamp buffaloes and cattle. 3. Comparisons with four forage diets, and with rice straw supplemented with energy and protein (Kennedy), 265

Intake and digestion in swamp buffaloes and cattle. 4. Particle size and buoyancy in relation to voluntary intake (Kennedy), 277

Feeding behaviour, feed intake, chemical and botanical composition of the diet of indigenous goats raised on natural vegetation in a semi-arid region of Zimbabwe (Nyamangara and Ndlovu), 455

Feeding behaviour

Digestion, rumen fermentation and chewing behaviour of red deer fed fresh chicory and perennial ryegrass (Hoskin *et al.*), 289

Feeding behaviour, feed intake, chemical and botanical composition of the diet of indigenous goats raised on natural vegetation in a semi-arid region of Zimbabwe (Nyamangara and Ndlovu), 455

Fertility

Relationships between body weight and scrotal characteristics, and between environmental effects and fertility in Ethiopian Horro rams (Yohannes Gojjam *et al.*), 297

Goats

Feeding behaviour, feed intake, chemical and botanical composition of the diet of indigenous goats raised on natural vegetation in a semi-arid region of Zimbabwe (Nyamangara and Ndlovu), 455

Grasses

Effect of herbage rejection by steers on white clover (*Trifolium repens*) branching and development in continuously stocked grass–clover swards (Teuber and Laidlaw), 205

Leaf growth and utilization in four grass species under steady state continuous grazing (Tallowin *et al.*), 403

Grazing

Effect of herbage rejection by steers on white clover (*Trifolium repens*) branching and development in continuously stocked grass–clover swards (Teuber and Laidlaw), 205

Leaf growth and utilization in four grass species under steady state continuous grazing (Tallowin *et al.*), 403

Growth rate

Growth and development in beef cattle. 1. Direct and residual effects of plane of nutrition during early life on components of gain and food efficiency (Patterson *et al.*), 91

Growth and development in beef cattle. 2. Direct and residual effects of plane of nutrition during early life on the chemical composition of body components (Patterson and Steen), 101

Protein metabolism in lambs from lines divergently selected for weaning weight (Oddy *et al.*), 129

Growth of lambs offered fixed amounts of roughage and concentrate either simultaneously, progressively or separately (Wilkinson and Greenhalgh), 301

Growth stages

Effect of the developmental stage of potato seedlings on recovery after transplanting to the field and on tuber yield (Engels *et al.*), 213

Modelling the effects of vernalization on progress to final leaf appearance in winter wheat (Craigon *et al.*), 369

Barley development as affected by rate of change of photoperiod (Kernich *et al.*), 379

Sugarbeet seedling growth from germination to first leaf stage (Durr and Boiffin), 427

Lactuca

Soil–plant nitrogen dynamics following incorporation of a mature rye cover crop in a lettuce production system (Wyland *et al.*), 17

Leaves

Leaf growth and utilization in four grass species under steady state continuous grazing (Tallowin *et al.*), 403

Legumes

Effects of the timing of ploughing-in temporary leguminous pastures and two winter cover crops on nitrogen mineralization, nitrate leaching and spring wheat growth (Francis *et al.*), 1

Distribution, diversity and potential agronomic value of *Medicago polymorpha* in Sardinia (Loi *et al.*), 419

Lettuce, *see Lactuca*

Light interception

The effects of radiation and nitrogen on number of grains in wheat (Abbate *et al.*), 351

Barley development as affected by rate of change of photoperiod (Kernich *et al.*), 379

Medic, *see Medicago*

Medicago

Distribution, diversity and potential agronomic value of *Medicago polymorpha* in Sardinia (Loi *et al.*), 419

Metabolism
Protein metabolism in lambs from lines divergently selected for weaning weight (Oddy *et al.*), 129
Milk production
The effect of adding a compound feed to herbage, at the time of ensiling, on intake and milk yield (Wilman *et al.*), 87
Mixed pastures
Effect of herbage rejection by steers on white clover (*Trifolium repens*) branching and development in continuously stocked grass–clover swards (Teuber and Laidlaw), 205
Models
The chemical buffer system in raw and digested animal slurry (Sommer and Husted), 45
Mathematical modelling of ammonia volatilization from slurry stores and its effect on *Cryptosporidium* oocyst viability (Ruxton), 55
Land evaluation modelling to assess the effects of climate change on winter wheat potential in England and Wales (Brignall and Rounsevell), 159
Modelling the effects of sowing date and plant density on the yield and timing of development of Brussels sprouts (*Brassica oleracea*) (Hamer), 253
Modelling the effects of vernalization on progress to final leaf appearance in winter wheat (Craigon *et al.*), 369
A simple model of pH in slurry (Sommer and Husted), 447

Nitrogen
Effects of the timing of ploughing-in temporary leguminous pastures and two winter cover crops on nitrogen mineralization, nitrate leaching and spring wheat growth (Francis *et al.*), 1
Soil–plant nitrogen dynamics following incorporation of a mature rye cover crop in a lettuce production system (Wyland *et al.*), 17
Moisture stress impact on N partitioning, N remobilization and N-use efficiency in beans (*Phaseolus vulgaris*) (Foster *et al.*), 27
Nitrogen fertilizers
The effects of radiation and nitrogen on number of grains in wheat (Abbate *et al.*), 351
Influence of nitrogen on the development of *Septoria* epidemics in winter wheat (Leitch and Jenkins), 361
Yields of crop dry matter and nitrogen in long-term barley rotation trials at two sites in northern Syria (Jones and Singh), 389
Nutritive value
Nutritional and haemagglutination properties of several tropical seeds (Grant *et al.*), 437

Pasture
Leaf growth and utilization in four grass species under steady state continuous grazing (Tallowin *et al.*), 403
Pearl millet, *see Pennisetum*
Pennisetum
Rotation and tillage effects on yield of pearl millet (*Pennisetum glaucum*) and cowpea (*Vigna unguiculata*), and aspects of crop water balance and soil fertility in a semi-arid tropical environment (Klaij and Ntare), 39
Pesticides
Fungicide resistance: occurrence and management (Russell), 317
The effects of omitting or reducing pesticide and other inputs on the disease incidence and yield components of winter wheat in Northern Ireland (Easson), 343
Pests and diseases
Mathematical modelling of ammonia volatilization from slurry stores and its effect on *Cryptosporidium* oocyst viability (Ruxton), 55
Effects of incorporating straw, using different cultivation systems, and of burning it, on diseases of winter barley (Jenkyn *et al.*), 195
Transmission of *Helminthosporium solani* from potato seed tubers and effects of soil conditions, seed inoculum and seed physiology on silver scurf disease (Firman and Allen), 219
The effects of omitting or reducing pesticide and other inputs on the disease incidence and yield components of winter wheat in Northern Ireland (Easson), 343
Influence of nitrogen on the development of *Septoria* epidemics in winter wheat (Leitch and Jenkins), 361
Phaseolus
Moisture stress impact on N partitioning, N remobilization and N-use efficiency in beans (*Phaseolus vulgaris*) (Foster *et al.*), 27
Phosphorus
Factors affecting faecal endogenous phosphorus loss in the sheep (Scott *et al.*), 145
Pigs
A new procedure for the continuous measurement of oxygen consumption in pigs (Giles *et al.*), 113
Pollination
Seed yield in caraway (*Carum carvi*). 1. Role of pollination (Bouwmeester and Smid), 235
Potato
Effect of the developmental stage of potato seedlings on recovery after transplanting to the field and on tuber yield (Engels *et al.*), 213
Transmission of *Helminthosporium solani* from potato seed tubers and effects of soil conditions, seed inoculum and seed physiology on silver scurf disease (Firman and Allen), 219

Reproduction
Analysis of factors affecting superovulatory responses in ruminants (Woolliams *et al.*), 61
Rumen fermentation
Digestion, rumen fermentation and chewing behaviour of red deer fed fresh chicory and perennial ryegrass (Hoskin *et al.*), 289
Effects of synchronizing the rate of dietary energy and nitrogen release in diets with a similar carbohydrate composition on rumen fermentation and microbial protein synthesis in sheep (Sinclair *et al.*), 463
Rumen micro-organisms
Effects of synchronizing the rate of dietary energy and nitrogen release in diets with a similar carbohydrate composition on rumen fermentation and microbial protein synthesis in sheep (Sinclair *et al.*), 463
Ruminants
Analysis of factors affecting superovulatory responses in ruminants (Woolliams *et al.*), 61

Seeds
Seed yield in caraway (*Carum carvi*). 1. Role of pollination (Bouwmeester and Smid), 235

Seed yield in caraway (*Carum carvi*). 2. Role of assimilate availability (Bouwmeester *et al.*), 245
Nutritional and haemagglutination properties of several tropical seeds (Grant *et al.*), 437

Sequential cropping
Effects of the timing of ploughing-in temporary leguminous pastures and two winter cover crops on nitrogen mineralization, nitrate leaching and spring wheat growth (Francis *et al.*), 1
Soil–plant nitrogen dynamics following incorporation of a mature rye cover crop in a lettuce production system (Wyland *et al.*), 17
Rotation and tillage effects on yield of pearl millet (*Pennisetum glaucum*) and cowpea (*Vigna unguiculata*), and aspects of crop water balance and soil fertility in a semi-arid tropical environment (Klaij and Ntare), 39
Yields of crop dry matter and nitrogen in long-term barley rotation trials at two sites in northern Syria (Jones and Singh), 389

Sheep
Effects of underfeeding and of fish meal supplementation on forage digestion in sheep (Kabré *et al.*), 119
Protein metabolism in lambs from lines divergently selected for weaning weight (Oddy *et al.*), 129
Comparative water consumption and efficiency in three divergent sheep types (Schoeman and Visser), 139
Factors affecting faecal endogenous phosphorus loss in the sheep (Scott *et al.*), 145
Relationships between body weight and scrotal characteristics, and between environmental effects and fertility in Ethiopian Horro rams (Yohannes Gojjam *et al.*), 297
Growth of lambs offered fixed amounts of roughage and concentrate either simultaneously, progressively or separately (Wilkinson and Greenhalgh), 301
Effects of synchronizing the rate of dietary energy and nitrogen release in diets with a similar carbohydrate composition on rumen fermentation and microbial protein synthesis in sheep (Sinclair *et al.*), 463

Slurries
The chemical buffer system in raw and digested animal slurry (Sommer and Husted), 45
Mathematical modelling of ammonia volatilization from slurry stores and its effect on *Cryptosporidium* oocyst viability (Ruxton), 55
A simple model of pH in slurry (Sommer and Husted), 447

Soils
Rotation and tillage effects on yield of pearl millet (*Pennisetum glaucum*) and cowpea (*Vigna unguiculata*), and aspects of crop water balance and soil fertility in a semi-arid tropical environment (Klaij and Ntare), 39
Transmission of *Helminthosporium solani* from potato seed tubers and effects of soil conditions, seed inoculum and seed physiology on silver scurf disease (Firman and Allen), 219

Source sink relations
Seed yield in caraway (*Carum carvi*). 2. Role of assimilate availability (Bouwmeester *et al.*), 245

Sowing date
Modelling the effects of sowing date and plant density on the yield and timing of development of Brussels sprouts (*Brassica oleracea*) (Hamer), 253

Sowing rates
Modelling the effects of sowing date and plant density on the yield and timing of development of Brussels sprouts (*Brassica oleracea*) (Hamer), 253

Statistical analyses
Analysis of factors affecting superovulatory responses in ruminants (Woolliams *et al.*), 61
Efficiency of experimental designs for estimating common-row-and-column (CRAC) effects (Connolly), 325
Effect of interference between plots on yield performance in crop variety trials (Talbot *et al.*), 335

Straw
Effects of incorporating or burning straw, and of different cultivation systems, on winter wheat grown on two soil types, 1985–91 (Prew *et al.*), 173
Effects of incorporating straw, using different cultivation systems, and of burning it, on diseases of winter barley (Jenkyn *et al.*), 195

Sugarbeet
Sugarbeet seedling growth from germination to first leaf stage (Durr and Boiffin), 427

Techniques
Modification of the analytical procedures for the determination of herbage and faecal n-alkanes used in the estimation of herbage intake (Vulich *et al.*), 71
Faecal sampling for the estimation of herbage intake using n-alkanes: evaluation of sample pooling and the use of rectal grab samples (Vulich and Hanrahan), 79
A new procedure for the continuous measurement of oxygen consumption in pigs (Giles *et al.*), 113

Trifolium
Stolon characteristics related to winter survival in white clover (Collins and Rhodes), 11
Effect of herbage rejection by steers on white clover (*Trifolium repens*) branching and development in continuously stocked grass–clover swards (Teuber and Laidlaw), 205

Vernalization
Modelling the effects of vernalization on progress to final leaf appearance in winter wheat (Craigon *et al.*), 369

Vigna
Rotation and tillage effects on yield of pearl millet (*Pennisetum glaucum*) and cowpea (*Vigna unguiculata*), and aspects of crop water balance and soil fertility in a semi-arid tropical environment (Klaij and Ntare), 39

Water balance
Rotation and tillage effects on yield of pearl millet (*Pennisetum glaucum*) and cowpea (*Vigna unguiculata*), and aspects of crop water balance and soil fertility in a semi-arid tropical environment (Klaij and Ntare), 39

Water metabolism
Comparative water consumption and efficiency in three divergent sheep types (Schoeman and Visser), 139

Wheat
Effects of the timing of ploughing-in temporary leguminous pastures and two winter cover crops on nitrogen mineralization, nitrate leaching and spring wheat growth (Francis *et al.*), 1
Land evaluation modelling to assess the effects of climate change on winter wheat potential in England and Wales (Brignall and Rounsevell), 159
Effects of incorporating or burning straw, and of different cultivation systems, on winter wheat grown on two soil types, 1985–91 (Prew *et al.*), 173

The effects of omitting or reducing pesticide and other inputs on the disease incidence and yield components of winter wheat in Northern Ireland (Easson), 343
The effects of radiation and nitrogen on number of grains in wheat (Abbate *et al.*), 351
Influence of nitrogen on the development of *Septoria* epidemics in winter wheat (Leitch and Jenkins), 361
Modelling the effects of vernalization on progress to final leaf appearance in winter wheat (Craigon *et al.*), 369
White clover, *see Trifolium*

Yield components
The effects of omitting or reducing pesticide and other inputs on the disease incidence and yield components of winter wheat in Northern Ireland (Easson), 343

Yields
Effect of the developmental stage of potato seedlings on recovery after transplanting to the field and on tuber yield (Engels *et al.*), 213
Seed yield in caraway (*Carum carvi*). 1. Role of pollination (Bouwmeester and Smid), 235
Seed yield in caraway (*Carum carvi*). 2. Role of assimilate availability (Bouwmeester *et al.*), 245
Effect of interference between plots on yield performance in crop variety trials (Talbot *et al.*), 335
Yields of crop dry matter and nitrogen in long-term barley rotation trials at two sites in northern Syria (Jones and Singh), 389